



VIMALNX

# VIMALNX EQUIPMENTS PVT. LTD.

"HANDLING YOUR MATERIALS, HANDLING YOUR SUCCESS"





**2500/ 3000/ 5000 KGS  
HYDRAULIC PALLET TRUCK**  
VINX-2500/ 3000/ 5000 Series  
Capacity : 2500/ 3000/ 5000 kg  
Wheels : PU/CI/ Nylon



**STAINLESS STEEL PALLET  
TRUCK**  
VINX- SS Series Capacity : 2000 kg  
Fork Size : 550\*1150 mm/  
685\*1220 mm



**LOW PROFILE HYDRAULIC  
PALLET TRUCK**  
VINX-LOW Series  
Capacity : 1000-1500 kg  
Min Fork Height : 51/65 mm



**ELECTRIC PALLET TRUCK**  
VINX - EP - EPT SERIES  
Capacity : 1500 kg  
Fork Size : 550\*1150 mm/ 685\*1220 mm  
48 V/ 10Ah (Li ION) Battery



**REEL PALLET TRUCK**

VINX- REEL SERIES Capacity :  
Max. 3000 kg  
Wheels : PU/ Nylon/ CI  
REEL Diameter : 600-1200 mm



**ROUGH TERRAIN HAND PALLET  
TRUCK**

VINX- RTHPT  
Capacity : 1000-1250 kg  
Fork Size : 500\*520 mm



**SEMI ELECTRIC HIGH LIFT  
PALLET TRUCK**

VINX-SEHLPT SERIES  
Capacity : 1000 & 1500 kg  
Lifting Height : 800 mm



**SCISSOR PALLET TRUCK**

VINX - SLP SERIES  
Capacity : 1000 & 1500 kg  
Fork Size : 450\*1150mm / 685\*1150 mm  
Lifting Height : 800 mm



**HEAVY DUTY BATTERY OPERATED  
PALLET TRUCK**

VINX- EP - RPT SERIES  
Capacity : 2500 kg  
Fork Size : 550\*1150 mm/685\*1220 mm  
24V/210Ah  
(Li ION) Battery Up to 5 ton capacity  
optional



**HAND PALLET TRUCK WITH  
SINGLE FORK**

VINX-SFHPT-1000  
Capacity : 1000 kg



**WEIGHING SCALE PALLET TRUCK**

VINX - WS SERIES  
Capacity : 2000 kg  
Wheels : PU/ Nylon Fork Size :  
540\*1150mm / 685\*1220



**MANUAL STACKER**

VINX - HS SERIES  
Capacity : 1 to 2 ton  
Lifting Height : 1600-3000 mm  
Adjustable Forks Straddle leg optional



**SEMI ELECTRIC STACKER**

VINX - SES SERIES  
Capacity : 1 to 2 ton  
lifting Height : 1600-3000 mm  
Adjustable forks Straddle leg optional



**WALKY STACKER**

VINX - FES SERIES  
Capacity : 1200 kg to 1500 kg  
lifting Height : 1600-3000 mm



**FULLY ELECTRIC STACKER**

VINX - FES SERIES  
Capacity : 1000 to 1500 kg  
lifting Height : 1600-6500 mm



**COUNTER BALANCE STACKER**

VINX-MS-SERIES  
Capacity : 500 kg to 2000 kg.

**ELECTRIC REACH STACKER**

VINX-SES-SERIES  
Capacity : 500 kg to 1500 kg

**MANUAL STRADDLE STACKER**

VINX-MS-SERIES  
Capacity : 0.5 to 2 ton  
Lifting Height - 1600 mm to 3000 mm  
Operating- Manual Operated

**SEMI ELECTRIC BOOM STACKER**

VINX-SES-SERIES  
Capacity : 500 kg to 1500 kg

**PLATFORM DIE LOADER STACKER**

VINX-MS-SERIES  
Capacity : 500 kg to 2000 kg.

**DRUM PICKER**

VINX-D-DP-250  
Capacity : 250 kg  
Operating : Manual

**DRUM PALLETIZER**

VINX -D-DP-AL  
Capacity : 400 kg  
Adjustable legs

**MANUAL DRUM STACKER TILTER**

VINX - D - HS - ST Capacity : 450 kg  
Lifting Height : 1500 mm

**SEMI ELECTRIC DRUM LIFTER CUM TILTER**

VINX-D-SEDLCT-520  
Capacity : 520 kg  
Lifting Height : 1500 mm

**MANUAL DRUM STACKER**

VINX -D-MDS-400  
Capacity : 450 kg  
Lifting Height : 1500 mm

**SEMI ELECTRIC DRUM STACKER**

VINX-D-SEDS-400  
Capacity : 450 kg  
Lifting Height : 1500 mm

**HOOK ATTACHMENT STACKER**


VINX-MS-SERIES  
Capacity : 1 Tone kg to 2 Tone kg  
Lift Height : 1600 mm To 3000 mm

**MANUAL SCISSOR LIFT TABLE TRUCK**

VINX-SPSLT-SERIES  
Capacity : 300 to 2000 kg  
Lifting Height : 700 mm to 2000 mm

**SEMI ELECTRIC SCISSOR LIFT TABLE TRUCK**

VINX - ESLTT SERIES  
Lifting Height : 880-1300 mm

**ROLLER PLATFORM SCISSOR LIFT TABLE**

Capacity : 300 to 2000 kg  
Lifting Height : 700 mm to 2000 mm

**SCISSOR LIFT TABLE TRUCK WITH BALL PLATFORM**

Capacity : 300 to 2000 kg  
Lifting Height : 700 mm to 2000 mm

**STATIONARY SCISSOR LIFT TABLE**

VINX - SL SERIES  
Capacity : 1000-5000 kg




#### LOW PROFILE SCISSOR LIFT TABLE

VINX - LP - SLT  
Capacity : 1 Tone  
Lifting Height : 760 mm  
Lifting Time : 18 Sec



#### SELF-PROPELLED SCISSOR LIFT TABLE

VINX-SPSLT-SERIES  
Capacity : 350 kg  
Lifting Height : 5 Meter to 14 Meter



#### DC OPERATED SCISSOR LIFT TABLE

Capacity : 350 kg  
Lifting Height : 5 Meter to 14 Meter



#### AC OPERATED SCISSOR LIFT TABLE

Capacity : 350 kg  
Lifting Height : 5 Meter to 14 Meter



#### PUSH PULL SCISSOR LIFT TABLE

Capacity : 300 to 1000 kg  
Lifting Height : 700 mm to 2000 Meter



#### EDGE DOCK LEVELLER

VINX - EDL SERIES  
Capacity : 3000-6000 kg



#### HYDRAULIC DOCK LEVELLER

VINX - DL SERIES  
Capacity : 6000 to 12000 kg



#### MOBILE RAMP

VINX - MRAMP SERIES  
Capacity : 6000 10000 kg  
Lifting Option : Manual/ Hydraulic/ Both



#### 3 WHEEL DRUM TROLLEY

VINX-D-DT-HDDB  
Capacity : 300 kg



#### STAIR CLIMBING TROLLEY

VINX - SCT35  
Capacity : 100 kg



#### GAS CYLINDER TROLLEY (SINGLE)

VINX-T-GCTS-300  
Capacity : 300 kg



#### GAS CYLINDER TROLLEY (DOUBLE)

VINX-T-GCTS-500  
Capacity : 500 kg



#### SS PLATFORM TROLLEY

VINX- SSPT SERIES  
Capacity : 100 kg to 2000 Kg  
Size Can be customized



#### MS PLATFORM TROLLEY

VINX- MSPT SERIES  
Capacity : 100 kg to 2000 Kg  
Size Can be customized



#### WRAP AROUND DRUM TROLLEY

VINX-D-WADT-350  
Capacity : 350 kg



#### ELECTRIC WIRE ROPE HOIST

VINX-EH- SERIES  
Capacity : 360 kg to 3000 kg

**MOBILE ORDER PICKER**

VINX- OP-M SERIES  
Capacity : 200 kg  
Max. Working height : 6500 mm  
Movement manual, lifting battery operated

**SAFE PROPELLED ORDER PICKER**

VINX - OP - SP SERIES  
Capacity : 300 kg Max.  
Working height : 6500 mm  
Movement & Lifting battery operated

**DUAL MAST HYDRAULIC GOODS LIFT**

VINX - GL - DM - SERIES  
Capacity : 500 KG TO 3000 KG

**HYDRAULIC SINGLE MAST GOODS LIFT**

VINX- GL SM - SERIES  
Capacity : 200 KG TO 1500 KG  
Wall Supported Structure

**CAGE FORK ATTACHMENT**

VINX- FA - AWP - SERIES  
Capacity : 300 KG

**FORK EXTENSION ATTACHMENT**

VINX - FA - BY SERIES  
Capacity : 1200 mm to 2000 mm

**SINGLE DRUM ATTACHMENT**

Two Parrot Beak Per Drum  
Load Capacity : 360 x 1 = 360 kg

**DOUBLE DRUM ATTACHMENT**

Two Parrot Beak Per Drum  
Load Capacity : 360 x 2 = 720 kg

**TELESCOPIC JIB CRANE ATTACHMENT**

Extension Length : 755 ~ 3740 mm  
Load Capacity : 3000 ~ 6000 kg

**HOOK MOUNTED DRUM LIFTER ATTACHMENT**

Drum Handling : One Drum  
Load Capacity : 560 kg

**THREE DRUM ATTACHMENT**

One Parrot Beak Per Drum  
Load Capacity : 500 x 3 = 1500 kg

**FOUR DRUM ATTACHMENT**

One Parrot Beak Per Drum  
Load Capacity : 500 x 4 = 2000 kg

**DRUM TILTING ATTACHMENT**


Manual | Electric | Remote Controlled  
Load Capacity : 300 kg

**FORKS HOOKS ATTACHMENT**

Fork Mounted  
Load Capacity : 2500 ~ 5000 kg

**CAGE BIN TROLLEY**

Load Capacity : 300 To 1000 kg

**PLASTIC PALLETS**

Size : 1000 mm To 1200 mm  
Load Capacity : 100 kg

**MANUAL HAND PALLET TRUCK**

OM MAKE Capacity : 2500 Kg

**BATTERY OPERATED PALLET TRUCK**OM KION MAKE  
Capacity : 2000 Kg**WALKIE STACKER**OM KION MAKE  
Capacity : 1200 Kg  
Lifting Height : 3600 mm**FULLY ELECTRIC STACKER**OM KION MAKE  
Capacity : 1.5 T / 1.6 T  
Lifting Height : Up to 6500 mm**REACH STACKER**OM KION MAKE  
Capacity : 1.6 Tone / 2 Tone**ELECTRIC TOW TRUCK**OM KION MAKE  
Capacity : 2 Tone / 5 Tone**DIESEL FORK LIFT**OM KION MAKE  
Capacity : 2 Tone / 3 Tone / 5 Tone  
/ 8 Tone / 15 Tone**ELECTRIC FORK LIFT**OM KION MAKE  
Capacity : 2 Tone / 3 Tone  
Lifting Height : 3100-6030 mm**HAND PALLET TRUCK**


LINDE MAKE Capacity : 2.5 Tone

**ELECTRIC PALLET TRUCK**LINDE MAKE Capacity : 1.5 To 2 Tone  
(MT15 - MT 20)**ELECTRIC PALLET STACKER**OM KION MAKE  
Capacity : 1.6 To 2 Tone**ELECTRIC FORK LIFT**LINDE / KION MAKE  
Capacity : 5 Tone  
Lifting Height : 3150-5450 mm**REACH TRUCK**LINDE MAKE  
Capacity : 5 Tone  
Lifting Height : 3150-5450 mm**JIB CRANE**VINX-JC SERIES  
Capacity : 500 kg to 2000**GANTRY CRANE**VINX-GC SERIES  
Capacity : 500 kg to 2000 kg  
Manual Chain Pully Block / Electric Hoist**WHEELS**

Nylon / PU / CI

**LOAD EXTENDER ATTACHMENT**

Extension Length : 1150 - 1165 mm  
Load Capacity : 2500 - 3500 kg

**FORK POSITIONER ATTACHMENT**

Opening Range : 50 - 1400 mm  
Load Capacity : 2500 - 7500 kg

**FOAM RUBBER CLAMP ATTACHMENT**

Range : 2600 mm  
Arm Length : 2600 mm  
Load Capacity : 500 - 1800 kg

**LOAD STABILIZER ATTACHMENT**

Opening Range : 1140 - 2290 mm  
Load Capacity : 1600 kg

**MULTY PALLET HANDLER ATTACHMENT**

Opening Range : 330 - 760 / 660 - 2040 mm  
Load Capacity : 1000 kg

**PAPER ROLL CLAMP ATTACHMENT**

Roll Range : 200 ~ 2200 mm  
Load Capacity : 1200 ~ 8000 kg

**BALE CLAMP ATTACHMENT**

Opening Range : 450 ~ 2300 mm  
Load Capacity : 1900 ~ 3500 kg

**SIDE SHIFTING ATTACHMENT**

Side Shifting Range : +100 mm  
Load Capacity : 2500 - 6800 kg

**HYDRAULIC GRAPPLE BUCKET ATTACHMENT**

Range : ~1805 mm  
Tilting : 25°/45°  
Load Capacity : 2500 kg

**FORKLIFT FORKS**

Class 2 | Class 3 | Class 4  
Load Capacity : 1 ~ 45 Ton / pair

**FORKS WITH LONGER LENGTHS**


Fork Length : up to 4000 mm  
Load Capacity : 1 ~ 45 Ton/Pair

**FORK EXTENSIONS**

Max. Extension Length : 4000 mm  
Load Capacity : 1 ~ 5 Ton / Pair

**PUSH PULL / SLIP SHEET ATTACHMENT**


Fork Mounted & Dedicated  
Load Capacity : 1600 ~ 2000 kg

**ROTATION FORK ATTACHMENT**

Rotation : 360°  
Load Capacity : 2500 ~ 12000 kg

**CARTON / APPLIANCE CLAMP ATTACHMENT**

Opening Range : 550 - 1850 mm  
Load Capacity : 1400 - 2300 kg

**MAINTENANCE PLATFORM ATTACHMENT**

Platform Size : 950 x 950 ~ 1200 x 1000 mm  
Load Capacity : 300 kg

## Importers of all types of Caster wheel & Trolley Wheel



TYRE WHEELS



SRT WHEELS



PU WHEELS



NYLON WHEELS



CI PU WHEELS



CI WHEELS



PP WHEELS

HPT LOAD  
WHEELSHPT STERRING  
WHEELSVGROVES  
WHEELSSS CASTER  
WHEELSORANGE PU  
WHEELSTWIN CASTER  
WHEELS

VIMALNX

PU ROLLER  
WHEELS

### Importers and Stocklist of Material Handling Equipments.

**Hand Pallet Trucks**  
**Manual Stackers**  
**Semi Electrical Stacker**  
**Scisser Hand Pallet Truncks**  
**Scisser Lift**  
**Drum Lifter and Tilters**  
**Drum Trolley**  
**Platform Trolley**

### WHY VIMALNX RENTALS?

**RENTAL BENEFITS**  
**Less/ no maintence & repair**  
**Lower upfront costs**  
**No storage issue**  
**Try First and then buy**  
**Access to the latest technologies**  
**Shielding From market fluctuation**

9130603058 / 8956212943/44/45    vimalnxequipments@gmail.com

Sr. No. 123, Kate Estate, Opp. Indian Oil Petrol Pump, Nashik - Pune Hwy, behind Mahadev Marbal, Landge Nagar, Bhosari, Pune, Maharashtra - 411039.